ELSEVIER

International Journal of Mass Spectrometry 222 (2003) 503

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 222

Allison, J., 85
Amster, I.J., 351
Amunugama, R., 431
Anderson, S., 63
Antol, I., 11
Antonczak, S., 383
Armentrout, P.B., 329
Asgar Ali, M., 189

Badman, E.R., 243
Bailey, T.H., 313
Bowers, M.T., 63

Cabrol-Bass, D., 383
Cao, J., 41
Cassady, C.J., 363
Check, C.E., 221
Clipston, N.L., 363
Cooks, R.G., 481
Crellin, K.C., 281

Echt, O., 213
Eckert-Maksic, M., 11
Evans, S.E., 175

Fackler Jr., J.P., 493
Farrugia, J.M., 229
Fee, D.P., 63
Feng, W.Y., 117
Ferrer Correia, A.J., 101
Fernandes, A.M., 101
Fletcher, K.A., 117
Fritsch, I., 397
Futrell, J.H., 313

Gal, J.F., 259
Géribaldi, S., 383
Gidden, J., 63
Glasovac, Z., 11
Glish, G.L., 75
Gong, W., 397
Grim, D.M., 85
Grimsrud, E.P., 201
Gronert, S., 117
Grützmacher, H.-F., 27

Hahn, I.-S., 465
Hammad, L.A., 269
Hare, M.C., 11
Holmes, J.L., 41
Huang, Y., 493

Iceman, C., 329
Irikura, K.K., 189
Irwin, M.D., 493

Jai-nhuknan, J., 363

Kass, S.R., 11
Kemper, P.R., 63
Kim, Y.-K., 189
Knighton, W.B., 201
Kong, J., 451
Kruppa, G.H., 135
Kumar, N.A., 269

Laskin, J., 313
Leary, J.A., 135
Leavell, M.D., 135
Leblanc, D., 451
Lebrilla, C.B., 117, 259
Li, H., 481
Lifshitz, C., 213
Liu, C.W., 493
Lobring, K.C., 221
Lueck, N., 175

Macfarlane, R.D., 493
Marchandé, N., 383
Märk, T.D., 213
Marzluff, E.M., 175
Matt-Leubner, S., 213
Mayer, P.S., 451
McLuckey, S.A., 243
McNeal, C.J., 493
Midey, A.J., 413
Miller, T.M., 413
Morton, T.H., 451

Nakajima, S., 1
Nibbering, N.M.M., 101

O'Hair, R.A.J., 229

Parajuli, R., 213
Peng, Y., 481
Plass, W.R., 481
Polkowski II, G.G., 397

Ramos, L.E., 101
Ray, K.L., 75
Reid, G.E., 243
Reid, P.J., 49
Rodgers, M.T., 431
Ruane, P.H., 269

Salyards, M.J., 201
Scheier, P., 213
Sekiguchi, O., 1
Shammel, E., 63
Sible, E., 281
Smith, R.D., 155
Song, S., 493
Stamatovic, A., 213
Stone, M., 259
Sun, W., 41
Sunderlin, L.S., 221

Tajima, S., 1
Taylor, P.K., 351
Tolmachev, A.V., 155
Toscano, J.P., 269
Tu, Y.-P., 41
Tureček, F., 49

Udseth, H.R., 155
Uggerud, E., 1

Van Antwerp, J., 281
Viggiano, A.A., 413

Warres, A., 117
Watanabe, D., 1
Wells, J.M., 243
Wenthold, P.G., 269
Wesdemiotis, C., 465
Wilkins, C.L., 397
Williams, S., 413
Witt, M., 27

PII S1387-3806(02)01063-1

ELSEVIER

International Journal of Mass Spectrometry 222 (2003) 505–509

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 222

Ab initio
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
Ab initio calculations
Metastable states of dimethyloxonium, $(CH_3)_2OH^{\bullet}$, 49
The fluoride affinity of SO_2, 221
Activation entropies
Protonation thermochemistry of β-alanine. An evaluation of proton affinities and entropies determined by the extended kinetic method, 465
Adduct ion formation
Chemical ionization of amino and hydroxy group containing arylalkyl compounds with ions in a nitromethane plasma, 101
Alkali metal ions
Influence of substituents on cation–π interactions. 5. Absolute binding energies of alkali metal cation–anisole complexes determined by threshold collision-induced dissociation and theoretical studies, 431
Allylic cation
Taming halonium metathesis, 451
Amide
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Amino acids
Chiral recognition of non-natural α-amino acids, 259
Protonation thermochemistry of β-alanine. An evaluation of proton affinities and entropies determined by the extended kinetic method, 465
Ammonia
Collision-induced dissociation and theoretical studies of K^+ complexes with ammonia: a test of theory for potassium ions, 329
Anhydride
The mechanism of C-terminal fragmentations in alkali metal ion complexes of peptides, 117
Antiaromaticity
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11
Arginine residues
Involvement of salt bridges in a novel gas phase rearrangement of protonated arginine-containing dipeptides which precedes fragmentation, 229
Aromaticity
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11
Art
Identification of colorants as used in watercolor and oil paintings by UV laser desorption mass spectrometry, 85
Arylalkylamines
Chemical ionization of amino and hydroxy group containing arylalkyl compounds with ions in a nitromethane plasma, 101

Basic peptides
A comparison of negative and positive ion time-of-flight post-source decay mass spectrometry for peptides containing basic residues, 363
BEE geometry
Time-resolved kinetic energy releases in propane, 213
Biological matrix
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Bond dissociation energies
Collision-induced dissociation and theoretical studies of K^+ complexes with ammonia: a test of theory for potassium ions, 329
Influence of substituents on cation–π interactions. 5. Absolute binding energies of alkali metal cation–anisole complexes determined by threshold collision-induced dissociation and theoretical studies, 431
Boundary activation
Matrix-assisted laser desorption/ionization—boundary-activated dissociation of peptide ions in a quadrupole ion trap, 75

Cation–π interactions
Influence of substituents on cation–π interactions. 5. Absolute binding energies of alkali metal cation–anisole complexes determined by threshold collision-induced dissociation and theoretical studies, 431
Charge transfer
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413
Chemical ionization
Chemical ionization of amino and hydroxy group containing arylalkyl compounds with ions in a nitromethane plasma, 101

PII S1387-3806(02)01064-3

Chemical mass shifts
Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds, 481
Chiral recognition
Chiral recognition of non-natural α-amino acids, 259
Chlorofluorocarbon
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
CID
The fluoride affinity of SO_2, 221
The energetics of nitric oxide generation upon protonation of diazeniumdiolates, 269
Clusters
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Collision-induced dissociation
Collision-induced dissociation and theoretical studies of K^+ complexes with ammonia: a test of theory for potassium ions, 329
Influence of substituents on cation–π interactions. 5. Absolute binding energies of alkali metal cation–anisole complexes determined by threshold collision-induced dissociation and theoretical studies, 431
Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds, 481
Computer modeling
Modeling the ion density distribution in collisional cooling RF multipole ion guides, 155
Confirmation of identity
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Covalent and non-covalent ion structures
Chemical ionization of amino and hydroxy group containing arylalkyl compounds with ions in a nitromethane plasma, 101
Cycloalkanes
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413
Cyclodextrin
Chiral recognition of non-natural α-amino acids, 259
Cyclopentadienyl cation
Taming halonium metathesis, 451
Cycloproparenes
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11

DFT calculations
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11
Diamines
Protonation thermochemistry of β-alanine. An evaluation of proton affinities and entropies determined by the extended kinetic method, 465
Diasteroisomeric differentiation
Theoretical interpretation of the observed diastereoisomeric differentiation of *cis*- and *trans*-2-methylcyclohexanol in the gas phase mediated by scandium(I), 383
Diolate ions
The energetics of nitric oxide generation upon protonation of diazeniumdiolates, 269
Dissociation
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413
Dissociation mass spectra
The water-solvated methanol ion and its isomers: experiment and theory, 41
Dyes
Identification of colorants as used in watercolor and oil paintings by UV laser desorption mass spectrometry, 85

Effective core potential
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
Electron capture mass spectrometry
Effects of oxygen and water on the resonance electron capture reactions of low electron affinity compounds, 201
Electron impact
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
Electrospray ionization
Performance of a quadrupole ion trap mass spectrometer adapted for ion/ion reaction studies, 243
Space charge effects on mass accuracy for multiply charged ions in ESI–FTICR, 351
ESI
A mass spectrometric study of noncovalent gas phase interaction of staphylococcal nucleases with 5′-nucleoside phosphate inhibitors, 397
Excited states
Metastable states of dimethyloxonium, $(CH_3)_2OH^\bullet$, 49
Explosives monitoring
Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds, 481

Finite Heat Bath Theory
Time-resolved kinetic energy releases in propane, 213
Fluoride affinity
The fluoride affinity of SO_2, 221
Fluorine compound
Loss of HF from $C_2H_4FO^+$ produced from 2-hydroxy-2-trifluoromethylpropanoic acid upon electron ionization, 1
Fragmentation
Loss of HF from $C_2H_4FO^+$ produced from 2-hydroxy-2-trifluoromethylpropanoic acid upon electron ionization, 1
The mechanism of C-terminal fragmentations in alkali metal ion complexes of peptides, 117
Fragmentation energetics
Energetics of selective cleavage at acidic residues studied by time- and energy-resolved surface-induced dissociation in FT-ICR MS, 313
FTICR MS
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135

FT-ICR spectroscopy
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
FTMS
On the acidity of cyclopropanaphthalenes. Gas phase and computational studies, 11
A mass spectrometric study of noncovalent gas phase interaction of staphylococcal nucleases with 5′-nucleoside phosphate inhibitors, 397

Gas-phase conformational analysis
Application of ion mobility to the gas-phase conformational analysis of polyhedral oligomeric silsesquioxanes (POSS), 63
Guided ion beam mass spectrometry
Collision-induced dissociation and theoretical studies of K^+ complexes with ammonia: a test of theory for potassium ions, 329
Guided ion beams
Influence of substituents on cation–π interactions. 5. Absolute binding energies of alkali metal cation–anisole complexes determined by threshold collision-induced dissociation and theoretical studies, 431

Hammond postulate
Taming halonium metathesis, 451
Homocubane clusters
Characterization of $\{M_8[S_2CC(CN)_2]_6\}^{4-}$, where M = Cu^I and Ag^I, homocubane clusters by ^{252}Cf-plasma desorption mass spectrometry, 493
Host–guest complexes
Chiral recognition of non-natural α-amino acids, 259
Hydride transfer
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413
Hydrogen/deuterium exchange
Gas phase hydrogen/deuterium exchange of proteins in an ion trap mass spectrometer, 175
Hypervalent radicals
Metastable states of dimethyloxonium, $(CH_3)_2OH^\bullet$, 49

Ion cooling
Modeling the ion density distribution in collisional cooling RF multipole ion guides, 155
Ion cyclotron resonance
Space charge effects on mass accuracy for multiply charged ions in ESI–FTICR, 351
Ion mobility
Application of ion mobility to the gas-phase conformational analysis of polyhedral oligomeric silsesquioxanes (POSS), 63
Ion parking
Performance of a quadrupole ion trap mass spectrometer adapted for ion/ion reaction studies, 243
Ion trap mass spectrometry
Gas phase hydrogen/deuterium exchange of proteins in an ion trap mass spectrometer, 175
Ion/ion reactions
Performance of a quadrupole ion trap mass spectrometer adapted for ion/ion reaction studies, 243
Ion/molecule reactions
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135
Ion–dipole complex
Loss of HF from $C_2H_4FO^+$ produced from 2-hydroxy-2-trifluoromethylpropanoic acid upon electron ionization, 1
Ionization cross-section
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
Ion–molecule reaction
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Gas phase hydrogen/deuterium exchange of proteins in an ion trap mass spectrometer, 175
Taming halonium metathesis, 451
IRMPD
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135

K^+
Collision-induced dissociation and theoretical studies of K^+ com- plexes with ammonia: a test of theory for potassium ions, 329
Kinetic energy release
Time-resolved kinetic energy releases in propane, 213
Kinetic method
Protonation thermochemistry of β-alanine. An evaluation of proton affinities and entropies determined by the extended kinetic method, 465
Kinetics
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413

β-Lactam antibiotics
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Laser desorption
Identification of colorants as used in watercolor and oil paintings by UV laser desorption mass spectrometry, 85
Ligand exchange
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Lincomycin
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Linked scans
Time-resolved kinetic energy releases in propane, 213
Liquid chromatography
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281

Lithium
The mechanism of C-terminal fragmentations in alkali metal ion complexes of peptides, 117
Low electron affinity compounds
Effects of oxygen and water on the resonance electron capture reactions of low electron affinity compounds, 201

MALDI
Matrix-assisted laser desorption/ionization—boundary-activated dissociation of peptide ions in a quadrupole ion trap, 75
A comparison of negative and positive ion time-of-flight post-source decay mass spectrometry for peptides containing basic residues, 363
Mass range
Modeling the ion density distribution in collisional cooling RF multipole ion guides, 155
Mass spectrometry
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Mechanisms
Theoretical interpretation of the observed diastereoisomeric differentiation of *cis*- and *trans*-2-methylcyclohexanol in the gas phase mediated by scandium(I), 383
Metastable ion
The water-solvated methanol ion and its isomers: experiment and theory, 41
Methomyl
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
MIKE
Loss of HF from $C_2H_4FO^+$ produced from 2-hydroxy-2-trifluoromethylpropanoic acid upon electron ionization, 1
Monofluorinated carbocation
Taming halonium metathesis, 451
Monosaccharide
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135
MS/MS
Matrix-assisted laser desorption/ionization—boundary-activated dissociation of peptide ions in a quadrupole ion trap, 75
Multiply-charged ions
Performance of a quadrupole ion trap mass spectrometer adapted for ion/ion reaction studies, 243

Negative ions
A comparison of negative and positive ion time-of-flight post-source decay mass spectrometry for peptides containing basic residues, 363
Neutralization-reionization mass spectrometry
Metastable states of dimethyloxonium, $(CH_3)_2OH^\bullet$, 49
Nitric oxide
The energetics of nitric oxide generation upon protonation of diazeniumdiolates, 269
Nitro-aromatic compounds
Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds, 481
Nitromethane plasma
Chemical ionization of amino and hydroxy group containing arylalkyl compounds with ions in a nitromethane plasma, 101
Noncovalent interactions
A mass spectrometric study of noncovalent gas phase interaction of staphylococcal nucleases with 5′-nucleoside phosphate inhibitors, 397
Non-fixed energy
Time-resolved kinetic energy releases in propane, 213

Pathway
The mechanism of C-terminal fragmentations in alkali metal ion complexes of peptides, 117
Paul ion trap
Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds, 481
Pentaanionic clusters
Characterization of $\{M_8[S_2CC(CN)_2]_6\}^{4-}$, where M = Cu^I and Ag^I, homocubane clusters by ^{252}Cf-plasma desorption mass spectrometry, 493
Peptide
Matrix-assisted laser desorption/ionization—boundary-activated dissociation of peptide ions in a quadrupole ion trap, 75
The mechanism of C-terminal fragmentations in alkali metal ion complexes of peptides, 117
Phosphate linkage
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135
Phosphorylated carbohydrates
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135
Pigments
Identification of colorants as used in watercolor and oil paintings by UV laser desorption mass spectrometry, 85
Plasma
Electron-impact total ionization cross-sections of the chlorofluoromethanes, 189
Plasma desorption mass spectrometry
Characterization of $\{M_8[S_2CC(CN)_2]_6\}^{4-}$, where M = Cu^I and Ag^I, homocubane clusters by ^{252}Cf-plasma desorption mass spectrometry, 493
POSS
Application of ion mobility to the gas-phase conformational analysis of polyhedral oligomeric silsesquioxanes (POSS), 63
Post-source decay
A comparison of negative and positive ion time-of-flight post-source decay mass spectrometry for peptides containing basic residues, 363

Potential energy surface
Loss of HF from $C_2H_4FO^+$ produced from 2-hydroxy-2-trifluoromethylpropanoic acid upon electron ionization, 1
Propane
Time-resolved kinetic energy releases in propane, 213
Proteins
Gas phase hydrogen/deuterium exchange of proteins in an ion trap mass spectrometer, 175
Space charge effects on mass accuracy for multiply charged ions in ESI–FTICR, 351
A mass spectrometric study of noncovalent gas phase interaction of staphylococcal nucleases with 5′-nucleoside phosphate inhibitors, 397
Proton affinities
Protonation thermochemistry of β-alanine. An evaluation of proton affinities and entropies determined by the extended kinetic method, 465
Proton bound dimers
Ligand exchange reactions of proton bound dimers of carboxamides models for protonated proteins, 27
Proton transfer
Reactions of O_2^+, NO^+ and H_3O^+ with methylcyclohexane (C_7H_{14}) and cyclooctane (C_8H_{16}) from 298 to 700 K, 413
Protonated peptides
Involvement of salt bridges in a novel gas phase rearrangement of protonated arginine-containing dipeptides which precedes fragmentation, 229
Energetics of selective cleavage at acidic residues studied by time- and energy-resolved surface-induced dissociation in FT-ICR MS, 313
Protonation
The energetics of nitric oxide generation upon protonation of diazeniumdiolates, 269

Quadrupole ion trap
Matrix-assisted laser desorption/ionization—boundary-activated dissociation of peptide ions in a quadrupole ion trap, 75
Performance of a quadrupole ion trap mass spectrometer adapted for ion/ion reaction studies, 243
Quantification
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281

Ritonavir
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
RRKM modeling
Energetics of selective cleavage at acidic residues studied by time- and energy-resolved surface-induced dissociation in FT-ICR MS, 313

Salt bridges
Involvement of salt bridges in a novel gas phase rearrangement of protonated arginine-containing dipeptides which precedes fragmentation, 229
Scandium
Theoretical interpretation of the observed diastereoisomeric differentiation of *cis*- and *trans*-2-methylcyclohexanol in the gas phase mediated by scandium(I), 383
sec-Propyl cation
Time-resolved kinetic energy releases in propane, 213
Selective cleavage
Energetics of selective cleavage at acidic residues studied by time- and energy-resolved surface-induced dissociation in FT-ICR MS, 313
Sequencing
Involvement of salt bridges in a novel gas phase rearrangement of protonated arginine-containing dipeptides which precedes fragmentation, 229
Simulation
Modeling the ion density distribution in collisional cooling RF multipole ion guides, 155
Single quadrupole
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
SORI-CID
Determination of phosphate position in hexose monosaccharides using an FTICR mass spectrometer: ion/molecule reactions, labeling studies, and dissociation mechanisms, 135
Space charge
Modeling the ion density distribution in collisional cooling RF multipole ion guides, 155
Spontaneous and electron-induced dissociations
Time-resolved kinetic energy releases in propane, 213
Sulfometuron methyl
Quantification and confirmation of identity of analytes in various matrices with in-source collision-induced dissociation on a single quadrupole mass spectrometer, 281
Surface-induced dissociation
Energetics of selective cleavage at acidic residues studied by time- and energy-resolved surface-induced dissociation in FT-ICR MS, 313

Tandem mass spectrometry
The water-solvated methanol ion and its isomers: experiment and theory, 41
Involvement of salt bridges in a novel gas phase rearrangement of protonated arginine-containing dipeptides which precedes fragmentation, 229
Theoretical investigations
Theoretical interpretation of the observed diastereoisomeric differentiation of *cis*- and *trans*-2-methylcyclohexanol in the gas phase mediated by scandium(I), 383
Thermodynamics
The fluoride affinity of SO_2, 221

Unsaturated ketone
Taming halonium metathesis, 451

Vibronic coupling
Metastable states of dimethyloxonium, $(CH_3)_2OH^\bullet$, 49